

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	10/8/2025	Sample ID:	20251002-SXPT-003
Client Name:	6 Point Cannabis	Sample Name:	Krazy Runtz
Sampling Location:	Bloomfield, New York	Sample Matrix:	Flower
Contact Name:	Craig Palmer	Sample Sub Type:	Flower
Contact Email:	6pointcannabis@gmail.com	Package ID:	1027000000006081
License Number:	OCM-MICR-24-000037	Batch Lot ID:	1027000000006081
Phone:	585-694-0300	Batch Size:	550
Medical/Adult Use:	Adult Use	Serving Size (g):	3.5
Sampling Date:	10/02/2025 11:15:00 AM		

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	-	Terpenes	P
		Moisture	P	Filth & Foreign Material	P		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: Krazy Runtz (20251002-SXPT-003)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.107
CBDA	< MRL	< MRL	0.107
CBGA	0.488	17.098	0.107
CBG	< MRL	< MRL	0.107
CBD	< MRL	< MRL	0.107
THCV	< MRL	< MRL	0.107
CBN	< MRL	< MRL	0.107
D9-THC	0.953	33.358	0.107
D8-THC	< MRL	< MRL	0.107
D10-THC-S	< MRL	< MRL	0.107
D10-THC-R	< MRL	< MRL	0.107
CBC	< MRL	< MRL	0.107
THCA	29.345	1027.079	0.107

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)
Reported on a dry-weight basis based on the calculation:
(wet sample % x 100)/(100 - %MC)

Test ID: #146712 | Date Tested: 10/06/2025 05:03 PM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	26.689	934.106
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	30.787	1077.535



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: Krazy Runtz (20251002-SXPT-003)

PASS

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.07
Camphene	< MRL	0.07
Sabinene	< MRL	0.07
beta-Pinene	0.09	0.07
beta-Myrcene	0.27	0.07
Alpha-phellandrene	< MRL	0.07
Carene	< MRL	0.07
alpha-terpinene	< MRL	0.07
p-Cymene	< MRL	0.07
Limonene	0.43	0.07
Eucalyptol	< MRL	0.07
Ocimene	< MRL	0.05
gamma-Terpinene	< MRL	0.07
Sabinene Hydrate	< MRL	0.07
Terpinolene	< MRL	0.07
Linalool	0.38	0.07
Fenchol	0.07	0.07
Menthol	< MRL	0.07
Terpineol	0.07	0.07
Citronellol	< MRL	0.07
Isopulegol	< MRL	0.07
Geraniol	< MRL	0.07
Alpha-cedrene	< MRL	0.05
Beta-Caryophyllene	0.22	0.07
Farnesene	0.09	0.07
alpha-Humulene	0.07	0.07
Valencene	< MRL	0.07
cis-Nerolidol	< MRL	0.03
trans-Nerolidol	0.05	0.04
Caryophyllene oxide	< MRL	0.07
Guaiaol	< MRL	0.07
alpha-Bisabolol	< MRL	0.07

MRL = Minimum reporting limit/limit of quantification

Test ID: #146715 | Date Tested: 10/08/2025 09:03 AM

Terpenes Summary

Result

Limit

Pass/Fail

Total Terpenes (% w/w)

1.76

10

PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: Krazy Runtz (20251002-SXPT-003)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.100
Chlorfenapyr	PASS	< MRL	1.00	0.100
Chloromequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	0.20	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etiozazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.40	0.100
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	0.40	0.100
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #146709 | Date Tested: 10/08/2025 07:51 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: Krazy Runtz (20251002-SXPT-003)				PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010
MRL = Minimum reporting limit/limit of quantification			Test ID: #146710 Date Tested: 10/08/2025 07:53 AM	

Heavy Metals: Krazy Runtz (20251002-SXPT-003)				PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	110.0	8.00
Nickel	PASS	< MRL	5.0	1.00
Copper	PASS	< MRL	30.0	8.00
Arsenic	PASS	< MRL	0.2	0.10
Cadmium	PASS	< MRL	0.2	0.10
Antimony	PASS	< MRL	2.0	1.00
Mercury	PASS	< MRL	0.1	0.05
Lead	PASS	< MRL	0.5	0.20
MRL = Minimum reporting limit/limit of quantification			Test ID: #146708 Date Tested: 10/06/2025 07:50 PM	

Microbiology - Plating: Krazy Runtz (20251002-SXPT-003)				PASS
Microbial analysis utilizing microbial enumeration (SOP-700-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	300	None	100.0
Total Yeast & Mold	PASS	30000	None	100.0
Microbiology - qPCR:				
Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Salmonella spp	PASS	Absent	Absent	1.0
Shiga toxin-producing E. coli	PASS	Absent	Absent	1.0
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1.0
MRL = Minimum reporting limit/limit of quantification			Test IDs: #146717, #146716, #146719, #146718 Date Tested: 10/08/2025 04:16 PM, 10/06/2025 09:13 PM, 10/06/2025 05:21 PM, 10/06/2025 04:47 PM	

Moisture: Krazy Runtz (20251002-SXPT-003)				PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)				
Analyte	Pass/Fail	Result (%)	Limit (%)	
Moisture	PASS	12.2	15	
MRL = Minimum reporting limit/limit of quantification			Test ID: #146711 Date Tested: 10/06/2025 08:15 AM	



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Water Activity: Krazy Runtz (20251002-SXPT-003)

PASS

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

Analyte	Pass/Fail	Result (a_w)	Limit (a_w)
Water Activity	PASS	0.54	0.65

MRL = Minimum reporting limit/limit of quantification

Test ID: #146707 | Date Tested: 10/05/2025 11:21 AM

Filth and Foreign Material: Krazy Runtz (20251002-SXPT-003)

PASS

Filth and Foreign Material analysis utilizing microscopy (SOP-057-NY)

Analyte	Results	Limit	Pass/Fail
Foreign Material (other, % m/m)	ND	2	PASS
Foreign Material (stems, % m/m)	ND	5	PASS
Mammalian Excreta (mg/lb)	ND	1	PASS

ND = Not Detected

Test ID: #146706 | Date Tested: 10/05/2025 11:40 AM



Matthew Elmes
Lab Director
10/8/2025

