

Certificate of Analysis

Finger Lakes Hydro LLC

Contact Person: Ari Grossman
 Bloomfield, NY 14469
 info@6pointcannabis.com
 (585) 233-7947
 Lic. #OCM-MICR-24-000037

Sample: 2602RLI0121-0540

Strain: Arancio Loco
 Batch#: 1A412030000120000000139; Batch Size: 483 units
 Sample Received: 02/03/2026; Report Created: 02/11/2026;

Flower - Arancio Loco - 3.5g

Plant, Flower - Cured
 Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:31
 Sample Collection Site: Finger Lakes Hydro LLC
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:



Safety

| | | | |
|------------------------|--------------------|------------------------|------------------------|
| Pass Pesticides | Pass Microbials | Pass Mycotoxins | Pass Water Activity |
| Not Tested Solvents | Pass Metals | Pass Foreign Matter | Pass Moisture |

Cannabinoids

| | | |
|---------------------|-----------------|-------------------|
| 31.67% Total THC | ND Total CBD | 13.3% Moisture |
|---------------------|-----------------|-------------------|

| Analyte | LOQ | Result | Result |
|---------------------------|------|--------------|---------------|
| | mg/g | % | mg/g |
| CBDVa | 0.2 | ND | ND |
| CBDV | 0.2 | ND | ND |
| CBDa | 0.2 | ND | ND |
| CBGa | 0.2 | 0.50 | 5.0 |
| CBG | 0.2 | ND | ND |
| CBD | 0.2 | ND | ND |
| THCV | 0.2 | ND | ND |
| THCVa | 0.2 | 1.44 | 14.4 |
| CBN | 0.2 | ND | ND |
| Δ9-THC | 0.2 | 2.95 | 29.5 |
| Δ8-THC | 0.2 | ND | ND |
| (6aR,9R)-d10-THC | 0.2 | ND | ND |
| (6aR,9S)-d10-THC | 0.2 | ND | ND |
| CBC | 0.2 | ND | ND |
| THCa | 0.2 | 32.75 | 327.5 |
| CBCa | 0.2 | ND | ND |
| Total Cannabinoids | | 37.64 | 376.42 |

Entered By: VJ, Instrument ID: AL2-004
 Method: MTHD-001, Date Tested: 02/10/2026 06:48
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
2 of 8

Finger Lakes Hydro LLC

Contact Person: Ari Grossman
Bloomfield, NY 14469
info@6pointcannabis.com
(585) 233-7947
Lic. #OCM-MICR-24-000037

Sample: 2602RLI0121-0540

Strain: Arancio Loco
Batch#: 1A412030000120000000139; Batch Size: 483 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Flower - Arancio Loco - 3.5g

Plant, Flower - Cured
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:31
Sample Collection Site: Finger Lakes Hydro LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
| | | | | |

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | N/A | 5800 | Tested |
| Yeast & Mold | 10 | N/A | 4100 | Tested |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012
Aerobic Date Tested: 02/05/2026 15:32
YM Date Tested: 02/06/2026 14:34 Sal/STEC/Asp Date Tested: 02/08/2026 11:39
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|----------|---------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 110.0000 | ND | Pass |
| Nickel | 0.5000 | 5.0000 | <LOQ | Pass |
| Copper | 1.0000 | 30.0000 | 10.9926 | Pass |
| Arsenic | 0.1000 | 0.2000 | <LOQ | Pass |
| Cadmium | 0.1000 | 0.2000 | <LOQ | Pass |
| Antimony | 0.5000 | 2.0000 | ND | Pass |
| Mercury | 0.0500 | 0.1000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | ND | Pass |

Entered By: BW, Instrument ID: AL2-001
Method: MTHD-006 Date Tested: 02/06/2026 12:39
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

| Analyte | LOQ | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxins | | 0.020 | ND | Pass |

Entered By: at, Instrument ID: AL1-003
Method: MTHD-009 Date Tested: 02/07/2026 01:12

Entered By: , Instrument ID:
Method: , Date Tested:

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
3 of 8

Finger Lakes Hydro LLC

Contact Person: Ari Grossman
Bloomfield, NY 14469
info@6pointcannabis.com
(585) 233-7947
Lic. #OCM-MICR-24-000037

Sample: 2602RLI0121-0540

Strain: Arancio Loco
Batch#: 1A412030000120000000139; Batch Size: 483 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Flower - Arancio Loco - 3.5g

Plant, Flower - Cured
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:31
Sample Collection Site: Finger Lakes Hydro LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

| Analyte | LOQ | Result | Result |
|---------------------|--------|--------|--------|
| | % | % | mg/g |
| β-Caryophyllene | 0.0125 | 0.48 | 4.78 |
| Limonene | 0.0125 | 0.24 | 2.44 |
| β-Pinene | 0.0125 | 0.19 | 1.93 |
| β-Myrcene | 0.0125 | 0.19 | 1.91 |
| Linalool | 0.0125 | 0.19 | 1.91 |
| α-Humulene | 0.0125 | 0.17 | 1.73 |
| Terpineol | 0.0125 | 0.09 | 0.93 |
| α-Bisabolol | 0.0125 | 0.05 | 0.47 |
| α-Pinene | 0.0125 | 0.02 | 0.21 |
| α-Phellandrene | 0.0125 | ND | ND |
| α-Terpinene | 0.0125 | ND | ND |
| Camphene | 0.0125 | <LOQ | <LOQ |
| Caryophyllene Oxide | 0.0125 | ND | ND |
| Farnesene | 0.0125 | ND | ND |
| Fenchol | 0.0125 | ND | ND |
| Geraniol | 0.0125 | ND | ND |
| Guaiol | 0.0125 | ND | ND |
| Ocimene | 0.0125 | ND | ND |
| Terpinolene | 0.0125 | <LOQ | <LOQ |
| Valencene | 0.0125 | ND | ND |



1.6306%
Total Terpenes

Entered By: VJ, Instrument ID: AL1-001
Method: MTHD-005, Date Tested: 02/07/2026 1:41

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
4 of 8

Finger Lakes Hydro LLC

Contact Person: Ari Grossman
Bloomfield, NY 14469
info@6pointcannabis.com
(585) 233-7947
Lic. #OCM-MICR-24-000037

Sample: 2602RLI0121-0540

Strain: Arancio Loco
Batch#: 1A412030000120000000139; Batch Size: 483 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Flower - Arancio Loco - 3.5g

Plant, Flower - Cured
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:31
Sample Collection Site: Finger Lakes Hydro LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.05 | 0.50 | ND | Pass |
| Acephate | 0.05 | 0.40 | ND | Pass |
| Acequinocyl | 0.05 | 2.00 | ND | Pass |
| Acetamiprid | 0.05 | 0.20 | ND | Pass |
| Aldicarb | 0.05 | 0.40 | ND | Pass |
| Avermectin-B1a | | | 0.02 | Tested |
| Avermectin-B1b | | | ND | Tested |
| Azadirachtin | 0.25 | 1.00 | ND | Pass |
| Azoxystrobin | 0.05 | 0.20 | ND | Pass |
| Bifenazate | 0.05 | 0.20 | ND | Pass |
| Bifenthrin | 0.05 | 0.20 | ND | Pass |
| Boscalid | 0.05 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.05 | 0.20 | ND | Pass |
| Carbofuran | 0.05 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.05 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.50 | 1.00 | ND | Pass |
| Chloromequat chloride | 0.05 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.20 | ND | Pass |
| Cinerin 1 | | | ND | Tested |
| Clofentezine | 0.05 | 0.20 | ND | Pass |
| Coumaphos | 0.05 | 1.00 | ND | Pass |
| Cyfluthrin | 0.05 | 1.00 | ND | Pass |
| Cypermethrin | 0.05 | 1.00 | ND | Pass |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 02/07/2026 18:03
LC Method: MTHD-009 LC Date Tested: 02/07/2026 01:12
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 8

Finger Lakes Hydro LLC

Contact Person: Ari Grossman
Bloomfield, NY 14469
info@6pointcannabis.com
(585) 233-7947
Lic. #OCM-MICR-24-000037

Sample: 2602RLI0121-0540

Strain: Arancio Loco
Batch#: 1A412030000120000000139; Batch Size: 483 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Flower - Arancio Loco - 3.5g

Plant, Flower - Cured
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:31
Sample Collection Site: Finger Lakes Hydro LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Daminozide | 0.05 | 1.00 | ND | Pass |
| Diazinon | 0.05 | 0.20 | ND | Pass |
| Dichlorvos | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.05 | 0.20 | ND | Pass |
| Dimethomorph | 0.05 | 1.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.20 | ND | Pass |
| Etofenprox | 0.05 | 0.40 | ND | Pass |
| Etoazole | 0.05 | 0.20 | ND | Pass |
| Fenhexamid | 0.05 | 1.00 | ND | Pass |
| Fenoxycarb | 0.05 | 0.20 | ND | Pass |
| Fenpyroximate | 0.05 | 0.40 | ND | Pass |
| Fipronil | 0.05 | 0.40 | ND | Pass |
| Fonicamid | 0.05 | 1.00 | ND | Pass |
| Fludioxonil | 0.05 | 0.40 | ND | Pass |
| Hexythiazox | 0.05 | 1.00 | ND | Pass |
| Imazalil | 0.05 | 0.20 | ND | Pass |
| Imidacloprid | 0.05 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.05 | 1.00 | ND | Pass |
| Jasmolin 1 | | | ND | Tested |
| Kresoxim Methyl | 0.05 | 0.40 | ND | Pass |
| Malathion | 0.05 | 0.20 | ND | Pass |
| Metalaxyl | 0.05 | 0.20 | ND | Pass |
| Methiocarb | 0.05 | 0.20 | ND | Pass |
| Methomyl | 0.05 | 0.40 | ND | Pass |
| Mevinphos | 0.05 | 1.00 | ND | Pass |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 02/07/2026 18:03
LC Method: MTHD-009 LC Date Tested: 02/07/2026 01:12
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 8

Finger Lakes Hydro LLC

Contact Person: Ari Grossman
Bloomfield, NY 14469
info@6pointcannabis.com
(585) 233-7947
Lic. #OCM-MICR-24-000037

Sample: 2602RLI0121-0540

Strain: Arancio Loco
Batch#: 1A412030000120000000139; Batch Size: 483 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Flower - Arancio Loco - 3.5g

Plant, Flower - Cured
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:31
Sample Collection Site: Finger Lakes Hydro LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| MGK-264 | 0.05 | 0.20 | ND | Pass |
| Myclobutanil | 0.05 | 0.20 | ND | Pass |
| Naled | 0.05 | 0.50 | ND | Pass |
| Oxamyl | 0.05 | 1.00 | ND | Pass |
| Paclbutrazol | 0.05 | 0.40 | ND | Pass |
| Parathion Methyl | 0.10 | 0.20 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.05 | 0.20 | ND | Pass |
| Phosmet | 0.05 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.05 | 2.00 | ND | Pass |
| Prallethrin | 0.05 | 0.20 | ND | Pass |
| Propiconazole | 0.05 | 0.40 | ND | Pass |
| Propoxur | 0.05 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | ND | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.05 | 1.00 | ND | Pass |
| Pyridaben | 0.05 | 0.20 | ND | Pass |
| Spinetoram | 0.05 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | ND | Tested |
| Spinosad | 0.05 | 0.20 | ND | Pass |
| Spinosyn A | | | ND | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.05 | 0.20 | ND | Pass |
| Spirotetramat | 0.05 | 0.20 | ND | Pass |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 02/07/2026 18:03
LC Method: MTHD-009 LC Date Tested: 02/07/2026 01:12
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 8

Finger Lakes Hydro LLC

Contact Person: Ari Grossman
Bloomfield, NY 14469
info@6pointcannabis.com
(585) 233-7947
Lic. #OCM-MICR-24-000037

Sample: 2602RLI0121-0540

Strain: Arancio Loco
Batch#: 1A412030000120000000139; Batch Size: 483 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Flower - Arancio Loco - 3.5g

Plant, Flower - Cured
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:31
Sample Collection Site: Finger Lakes Hydro LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.05 | 0.20 | ND | Pass |
| Tebuconazole | 0.05 | 0.40 | ND | Pass |
| Thiacloprid | 0.05 | 0.20 | ND | Pass |
| Thiamethoxam | 0.05 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.05 | 0.20 | ND | Pass |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 02/07/2026 18:03
LC Method: MTHD-009 LC Date Tested: 02/07/2026 01:12
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
8 of 8

Finger Lakes Hydro LLC

Contact Person: Ari Grossman
Bloomfield, NY 14469
info@6pointcannabis.com
(585) 233-7947
Lic. #OCM-MICR-24-000037

Sample: 2602RLI0121-0540

Strain: Arancio Loco
Batch#: 1A412030000120000000139; Batch Size: 483 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Flower - Arancio Loco - 3.5g

Plant, Flower - Cured
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:31
Sample Collection Site: Finger Lakes Hydro LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: 02/04/2026; 11:50
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 02/04/2026; 1057
Water Activity Method: MTHD-002

0.34 aw
Limit: 0.65 aw
Pass
Water Activity

13.3%
Limit: 15.0 %
Pass
Moisture

Foreign Matter

Foreign Matter Method: MTHD-004
Foreign Matter Date/Time Tested: 02/04/2026; 1103

Pass

| Analyte | Limit | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0 | Pass |
| FM Stems | 5% | 0 | Pass |
| FM Other | 2% | 0 | Pass |

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.